







Outside bead scarfing carbide insert

OUTSIDE SCARFING CARBIDE INSERT SOUB22-R





Model	Dimension(mm)			
	Tube diameter (mm)	L	S	Φd
SOUB22T5-R35	Φ42-Φ65	22	5.95	6.5
SOUB22T5-R40	Φ48-Φ75	22	5.95	6.5
SOUB22T5-R45	Φ60~Φ85	22	5.95	6.5
SOUB22T5-R50	Φ76-Φ95	22	5.95	6.5
SOUB22T5-R60	Φ89~Φ114	22	5.95	6.5
SOUB22T5-R75	Φ108-Φ140	22	5.95	6.5
SOUB22T5-R85	Φ127-Φ159	22	5.95	6.5
SOUB22T5-R100	Φ140-Φ190	22	5.95	6.5
SOUB22T5-R125	Φ159~Φ219	22	5.95	6.5
SOUB22T5-R00	one -size- fits- all	22	5.95	6.5

OUTSIDE SCARFING CARBIDE INSERT SOUB25-R





Model	Dimension(mm)			
	Tueb diameter(mm)	L	S	Φd
SOUB2506-R35	$\Phi 42 \sim 65$	25.4	6.35	6.5
SOUB2506-R40	$\Phi 48 \sim 75$	25.4	6.35	6.5
SOUB2506-R45	$\Phi 60 \sim 85$	25.4	6.35	6.5
SOUB2506-R50	$\Phi 76 \sim 95$	25.4	6.35	6.5
SOUB2506-R60	$\Phi 89 \sim 115$	25.4	6.35	6.5
SOUB2506-R70	$\Phi 108 \sim 133$	25.4	6.35	6.5
SOUB2506-R80	$\Phi 114 \sim 150$	25.4	6.35	6.5
SOUB2506-R90	$\Phi 127 \sim 170$	25.4	6.35	6.5
SOUB2506-R100	$\Phi 133 \sim 189$	25.4	6.35	6.5
SOUB2506-R125	$\Phi 140 \sim 219$	25.4	6.35	6.5
SOUB2506-R150	$\Phi 165 \sim 273$	25.4	6.35	6.5
SOUB2506-R00	one -size- fits- all	25.4	6.35	6.5

OUTSIDE SCARFING CARBIDE INSERT H-HR




Model	Dimension(mm)			
	Tube diameter(mm)	$\phi I.C$	S	ϕd
H-HR00	$\phi 10 \sim \phi 15$	25	4.75	5.16
H-HRA1	$\phi 15 \sim \phi 23$	25	4.75	5.16
H-HRB2	$\phi 23 \sim \phi 33$	25	4.75	5.16
H-HRC3	$\phi 27 \sim \phi 40$	25	4.75	5.16
H-HRD4	$\phi 38 \sim \phi 50$	25	4.75	5.16
H-HRE5	$\phi 48 \sim \phi 70$	25	4.75	5.16
H-HRF6	$\phi 60 \sim \phi 89$	25	4.75	5.16

OUTSIDE SCARFING CARBIDE INSERT S-SPUB




Model	Dimension(mm)			
	Tube diameter(mm)	L	S	Φd
S-SPUB-63A	$\Phi 10 \sim \Phi 15$	19.05	4.76	5.16
S-SPUB-63B	$\Phi 15 \sim \Phi 22$	19.05	4.76	5.16
S-SPUB-63C	$\Phi 23 \sim \Phi 33$	19.05	4.76	5.16
S-SPUB-63D	$\Phi 27 \sim \Phi 40$	19.05	4.76	5.16
S-SPUB-63E	$\Phi 38 \sim \Phi 50$	19.05	4.76	5.16
S-SPUB-63F	$\Phi 48 \sim \Phi 70$	19.05	4.76	5.16
S-SPUB-63G	$\Phi 60 \sim \Phi 89$	19.05	4.76	5.16

OUTSIDE SCARFING CARBIDE INSERT S-SNG15S7-R



Model	Dimension(mm)			
	Tube diameter(mm)	L	S	Φd
S-SNG15S7-R10	Φ8~Φ15	15.8	7.94	5.16
S-SNG15S7-R15	Φ15~Φ25	15.8	7.94	5.16
S-SNG15S7-R20	Φ25~Φ35	15.8	7.94	5.16
S-SNG15S7-R25	Φ30~Φ42	15.8	7.94	5.16
S-SNG15S7-R30	Φ35~Φ52	15.8	7.94	5.16
S-SNG15S7-R35	Φ40~Φ63	15.8	7.94	5.16
S-SNG15S7-R40	Φ48~Φ70	15.8	7.94	5.16
S-SNG15S7-R50	Φ60~Φ89	15.8	7.94	5.16
S-SNG15S7-R60	Φ76~Φ108	15.8	7.94	5.16
S-SNG15S7-R70	Φ76~Φ114	15.8	7.94	5.16
S-SNG15S7-R80	Φ89~Φ140	15.8	7.94	5.16
S-SNG15S7-R100	Φ133~Φ168	15.8	7.94	5.16

OUTSIDE SCARFING CARBIDE INSERT S-SNG15S8-R





Model	Dimension(mm)			
	tube diameter(mm)	L	S	R
S-SNG15S8-7R	Φ8~12	15.87	8.15	5.16
S-SNG15S8-9R	Φ12~16	15.87	8.15	5.16
S-SNG15S8-11R	Φ14~20	15.87	8.15	5.16
S-SNG15S8-13R	Φ15~22	15.87	8.15	5.16
S-SNG15S8-15R	Φ20~26	15.87	8.15	5.16
S-SNG15S8-18R	Φ25~32	15.87	8.15	5.16
S-SNG15S8-20R	Φ28~36	15.87	8.15	5.16
S-SNG15S8-22R	Φ33~40	15.87	8.15	5.16
S-SNG15S8-25R	Φ38~45	15.87	8.15	5.16
S-SNG15S8-27R	Φ40~50	15.87	8.15	5.16
S-SNG15S8-30R	Φ50~55	15.87	8.15	5.16

OUTSIDE SCARFING CARBIDE INSERT S-SNG15S8-R

Continuing to the previous page

Model	Dimension(mm)			
	tube diameter(mm)	L	S	R
S-SNG15S8-35R	Φ55~65	15.87	8.15	5.16
S-SNG15S8-40R	Φ65~75	15.87	8.15	5.16
S-SNG15S8-45R	Φ75~85	15.87	8.15	5.16
S-SNG15S8-50R	Φ85~95	15.87	8.15	5.16
S-SNG15S8-55R	Φ95~105	15.87	8.15	5.16
S-SNG15S8-60R	Φ105~115	15.87	8.15	5.16
S-SNG15S8-70R	Φ114~135	15.87	8.15	5.16
S-SNG15S8-80R	Φ127~155	15.87	8.15	5.16
S-SNG15S8-90R	Φ150~170	15.87	8.15	5.16
S-SNG15S8-100R	Φ170~190	15.87	8.15	5.16
S-SNG15S8-00R	ONE-SIZE FITS-ALL	15.87	8.15	5.16

OUTSIDE SCARFING CARBIDE INSERT S-SNG19S8-R





Model	Dimension(mm)			
	tube diameter(mm)	L	S	R
S-SNG19S8-10R	$\Phi 12\sim 18$	19.05	8.15	7.94
S-SNG19S8-13R	$\Phi 15\sim 23$	19.05	8.15	7.94
S-SNG19S8-15R	$\Phi 18\sim 26$	19.05	8.15	7.94
S-SNG19S8-18R	$\Phi 25\sim 32$	19.05	8.15	7.94
S-SNG19S8-20R	$\Phi 28\sim 37$	19.05	8.15	7.94
S-SNG19S8-25R	$\Phi 35\sim 47$	19.05	8.15	7.94
S-SNG19S8-30R	$\Phi 45\sim 57$	19.05	8.15	7.94
S-SNG19S8-35R	$\Phi 55\sim 67$	19.05	8.15	7.94
S-SNG19S8-40R	$\Phi 55\sim 77$	19.05	8.15	7.94
S-SNG19S8-45R	$\Phi 55\sim 77$	19.05	8.15	7.94
S-SNG19S8-50R	$\Phi 75\sim 97$	19.05	8.15	7.94

OUTSIDE SCARFING CARBIDE INSERT S-SNG19S8-R

Continuing to the previous page

Model	Dimension(mm)			
	tube diameter(mm)	L	S	R
S-SNG19S8-60R	Φ85~115	19.05	8.15	7.94
S-SNG19S8-70R	Φ95~135	19.05	8.15	7.94
S-SNG19S8-80R	Φ105~155	19.05	8.15	7.94
S-SNG19S8-90R	Φ115~170	19.05	8.15	7.94
S-SNG19S8-100R	Φ125~190	19.05	8.15	7.94
S-SNG19S8-110R	Φ135~200	19.05	8.15	7.94
S-SNG19S8-120R	Φ145~219	19.05	8.15	7.94
S-SNG19S8-00R	ONE SIZE FITS ALL	19.05	8.15	7.94

OUTSIDE SCARFING CARBIDE INSERT S-SNG22S9-R





Model	Dimension(mm)			
	tube diameter(mm)	L	S	R
S-SNG22S9-20R	$\Phi 25 \sim 36$	22.22	9.5	7.94
S-SNG22S9-25R	$\Phi 35 \sim 46$	22.22	9.5	7.94
S-SNG22S9-30R	$\Phi 45 \sim 56$	22.22	9.5	7.94
S-SNG22S9-35R	$\Phi 55 \sim 66$	22.22	9.5	7.94
S-SNG22S9-40R	$\Phi 65 \sim 75$	22.22	9.5	7.94
S-SNG22S9-45R	$\Phi 75 \sim 85$	22.22	9.5	7.94
S-SNG22S9-50R	$\Phi 85 \sim 95$	22.22	9.5	7.94
S-SNG22S9-55R	$\Phi 95 \sim 105$	22.22	9.5	7.94
S-SNG22S9-60R	$\Phi 100 \sim 115$	22.22	9.5	7.94
S-SNG22S9-65R	$\Phi 110 \sim 125$	22.22	9.5	7.94

OUTSIDE SCARFING CARBIDE INSERT S-SNG22S9-R

Continuing to the previous page

Model	Dimension(mm)			
	tube diameter(mm)	L	S	R
S-SNG22S9-70R	Φ120~135	22.22	9.5	7.94
S-SNG22S9-75R	Φ130~145	22.22	9.5	7.94
S-SNG22S9-80R	Φ135~155	22.22	9.5	7.94
S-SNG22S9-85R	Φ140~165	22.22	9.5	7.94
S-SNG22S9-90R	Φ145~170	22.22	9.5	7.94
S-SNG22S9-95R	Φ150~180	22.22	9.5	7.94
S-SNG22S9-100R	Φ155~190	22.22	9.5	7.94
S-SNG22S9-110R	Φ160~200	22.22	9.5	7.94
S-SNG22S9-125R	Φ165~219	22.22	9.5	7.94
S-SNG22S9-150R	Φ180~275	22.22	9.5	7.94
S-SNG22S9-160R	Φ190~300	22.22	9.5	7.94
S-SNG22S9-00R	ONE SIZE FITS ALL	22.22	9.5	7.94

OUTSIDE SCARFING CARBIDE INSERT S-SNG25S12-R




Model	Dimension(mm)			
	tube diameter (mm)	L	S	R
S-SNG25S12-30R	$\Phi 25-55$	25.4	12.7	9.2
S-SNG25S12-35R	$\Phi 35-65$	25.4	12.7	9.2
S-SNG25S12-40R	$\Phi 45-75$	25.4	12.7	9.2
S-SNG25S12-45R	$\Phi 50-85$	25.4	12.7	9.2
S-SNG25S12-50R	$\Phi 55-95$	25.4	12.7	9.2
S-SNG25S12-55R	$\Phi 65-105$	25.4	12.7	9.2
S-SNG25S12-60R	$\Phi 70-115$	25.4	12.7	9.2
S-SNG25S12-65R	$\Phi 75-125$	25.4	12.7	9.2
S-SNG25S12-70R	$\Phi 80-135$	25.4	12.7	9.2
S-SNG25S12-80R	$\Phi 85-150$	25.4	12.7	9.2

OUTSIDE SCARFING CARBIDE INSERT S-SNG25S12-R

Continuing to the previous page

Model	Dimension(mm)			
	tube diameter(mm)	L	S	R
S-SNG25S12-90R	Φ90~170	25.4	12.7	9.2
S-SNG25S12-100R	Φ100~190	25.4	12.7	9.2
S-SNG25S12-110R	Φ108~200	25.4	12.7	9.2
S-SNG25S12-120R	Φ114~219	25.4	12.7	9.2
S-SNG25S12-130R	Φ127~235	25.4	12.7	9.2
S-SNG25S12-140R	Φ133~255	25.4	12.7	9.2
S-SNG25S12-150R	Φ140~275	25.4	12.7	9.2
S-SNG25S12-160R	Φ165~285	25.4	12.7	9.2
S-SNG25S12-170R	Φ180~305	25.4	12.7	9.2
S-SNG25S12-180R	Φ200~325	25.4	12.7	9.2
S-SNG25S12-190R	Φ219~355	25.4	12.7	9.2
S-SNG25S12-00R	one size fits all	25.4	12.7	9.2

OUTSIDE SCARFING CARBIDE INSERT S-SNMX25-R



Model	Dimension(mm)			
	Tube diameter(mm)	L	S	R
SNMX2507-R30	$\Phi 37\sim 50$	25.4	7.94	30
SNMX2507-R35	$\Phi 45\sim 60$	25.4	7.94	35
SNMX2507-R40	$\Phi 55\sim 69$	25.4	7.94	40
SNMX2507-R45	$\Phi 60\sim 79$	25.4	7.94	45
SNMX2507-R50	$\Phi 65\sim 89$	25.4	7.94	50
SNMX2507-R60	$\Phi 76\sim 108$	25.4	7.94	60
SNMX2507-R70	$\Phi 97\sim 127$	25.4	7.94	70
SNMX2507-R80	$\Phi 108\sim 147$	25.4	7.94	80
SNMX2507-R90	$\Phi 114\sim 168$	25.4	7.94	90

OUTSIDE SCARFING CARBIDE INSERT S-SNMX25-R

Continuing to the previous page

Model	Dimension(mm)			
	Tube diameter(mm)	L	S	R
SNMX2507-R100	Φ127-177	25.4	9.52	100
SNMX2507-R125	Φ159-197	25.4	9.52	125
SNMX2509-R150	Φ165~219	25.4	9.52	150
SNMX2509-R175	Φ177-255	25.4	9.52	175
SNMX2509-R200	Φ197-273	25.4	9.52	200
SNMX2509-R225	Φ200~325	25.4	9.52	225
SNMX2509-R250	Φ219~355	25.4	9.52	250
SNMX2509-R275	Φ235~426	25.4	9.52	275
SNMX2509-R300	Φ273-450	25.4	9.52	300
SNMX2509-R350	Φ440~508	25.4	9.52	350
SNMX2509-R400	Φ500~660	25.4	9.52	400
SNMX2509-R450	Φ 610~711	25.4	9.52	450

The tool holder



The size :20*20*200mm

河北三硕机电设备有限公司

HEBEI SANSO MACHINERY CO.,LTD

📍 No.8 Xingbei street,Shiyan road ,Xinhua district,Shijiazhuang city,Hebei province,China

🌐 www.sansohftubemill.com

✉ info@sansohftubemill.com

☎ 0086-311-86685003

Whatsapp:0086-13303118751